Technical data sheet 8913 siacut



Status:	Ok
Approval:	06.08.2021

Classification	Public series
Product type:	Bonded abrasives
Main industries:	General Fabrication
Further industries:	Trucks Rail Marine Bus Wind Power Windows and Doors Containers Casting and Forging Turbines Knives, cutlery Tools Shipbuilding Machinery, equipment Stamped and Shaped Parts Tubes and Profiles

Product profile			
Grit type:	Aluminium oxide		
Grit range (total):		FEPA F / ISO 8486	
Backing:			
Coating:			
Bonding:	Resin over resinGlass fibre		
Special coating:			
Equipment:			

Properties		Technology
Removal rate:	7 - high	- X-LOCK
Lifetime:	8 - long	
Finishing:	3 - sufficient	
Flexibility:	1 - very rigid	
Contact pressure:	2 - light	

Advantages		
General Fabrication:	 Easy handling High cutting speed Long product life Comfortable to use with little contact pressure 	

Technical data sheet 8913 siacut



Applications		
General Fabrication:	Cutting of pipes and profilesCutting of sheet metalCutting of flat barsCutting of solid materials and bars	

Material		
General Fabrication:	Stainless steel	Stainless steel (inox)
	Steel	○ steel

Conversion forms	Upper conversion	Lower conversion
	Discs	- Cutting discs

Application	Superordinate group	Subgroup
Œ	Portable machine sanding	Angle grinder
	Portable machine sanding	Cut-off tool
Cut:		

Details		
No suitability for:		
Sanding recommendation:		
Safety recommendation:	Observe the current valid safety recommendations at: www.sia-abrasives.com > Expertise > Safety	
	 Follow the general EN safety recommendations Follow the general FEPA safety recommendations Pay attention to the abrasives safety data sheet (available from sia Abrasives) Use eye and face protection 	
	- Use an effective dust extraction unit or wear a fine dust mask - Use hearing protection	

Communication		
Claim:	The professional abrasive for higher cutting power	
Сору:	The hard cutting discs of the 8913 siacut Series never fail to impress, with a high cutting power, low level of heat discolouration and reduced burring.	

Technical data sheet 8913 siacut



Communication			
Image material:	Product Top View (PTV)	Front side: Rear side:	ID ID
	Application image	General Fabrication:	ID 7970
	Product show:		
	Macro shot:		
	Packaging image:		
	Product group image:		

Main applicationSecondary application